

SHOWTECH is pleased to offer the rental lighting options listed below.
Adding additional lighting to your booth creates a dramatic visual impact when done right!

CEILING MOUNTED FIXTURES



LED WHITE LIGHT (LLED0H) *NEW*

- Energy efficient
- Pure white light
- Equivalent light output to our Source 4 Par Fixture
- Covers approximately a 12' x 10' area
- Mounting height dependent on ceiling height of the facility



SOURCE 4 PAR FIXTURE (L575S4)

- Clean, bright and efficient
- Equivalent light output to a 1000 watt quartz floodlight
- Mounting height dependent on ceiling height of the facility

SYSTEM & BOOTH LIGHTING (HARD WALL REQUIRED)



24 WATT LED BLACK ARM FIXTURE (LLEDA)

- Equivalent light output to a 200 watt quartz arm light
- Pure white – ideal for highlighting clothing, jewelry, art, graphics and more
- Attaches to a hard wall

SYSTEM & BOOTH LIGHTING (FASCIA OR HARD WALL REQUIRED)



3' TRACK COMPLETE WITH 3 – 24 WATT LED FIXTURES (LT3150)

- Equivalent light output to a 450 watt quartz floodlight
- Ideal for fascia lighting
- Clean and attractive lighting system
- Pure white light, excellent way to accent any product
- Attaches to a fascia or hard wall

FLOOR LIGHTING



2 – 24 WATT LED FIXTURES ON AN 8' TELESCOPIC STAND (L2150)

- Equivalent light output to a 400 watt halogen bulb
- Pure white light with clean lines.
- Excellent way to highlight a focal point in your booth
- Lamps are mounted on a sturdy cross bar with a 140 degree tilt
- For optimum lighting, fixture is placed in the front corner of booth
- Covers approximately an 8' x 8' area

HELPFUL HINTS

- Borrowing power from an adjoining booth is NOT permitted. Sharing your neighbour's power may overload the circuit.
- All equipment must be approved for use by a recognized certification agency (i.e. CSA, ULC). Approval markings can be found on the rating nameplate located on the back or bottom of the equipment.
- Check the equipment rating nameplate on the bottom or back of your equipment to determine your total electrical needs.
- Order 24-hour outlets if you require your power to remain energized overnight (i.e. for refrigerators, freezers, fish tanks, etc).
- All equipment must have a 3-wire grounded cord, minimum of #14 gauge wire.
- A Ground Fault Circuit Interrupter (GFI) must protect all 120 volt electrical equipment/devices within 6 feet of a water/liquid source.

120 VOLT ELECTRICAL OUTLETS

POWER SUPPLIED AT BACK-OF-BOOTH

1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET (E1500) <ul style="list-style-type: none"> Standard office/home outlet with 2 plugs 	1800 WATT, 15 AMP, 120 VOLT OUTLET (E15A) <ul style="list-style-type: none"> Standard office/home outlet with 1 plug
24 HOUR, 1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET (E150024) <ul style="list-style-type: none"> Standard office/home outlet with 2 plugs For equipment requiring continuous power 	2400 WATT, 20 AMP, 120 VOLT OUTLET (E20A) <ul style="list-style-type: none"> Standard office/home outlet with 1 plug

SPECIAL UNDERCARPET PLACEMENT (BOOTH LAYOUT IS REQUIRED)

SHOWTECH will place power cords under the carpet to locations specified on your booth layout form. If a layout is not provided, SHOWTECH will place the outlet(s) at our discretion.

1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET (E1500U) <ul style="list-style-type: none"> Standard office/home outlet with 2 plugs 	1800 WATT, 15 AMP, 120 VOLT OUTLET (E15AU) <ul style="list-style-type: none"> Standard office/home outlet with 1 plug
24 HOUR, 1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET (E150024U) <ul style="list-style-type: none"> Standard office/home outlet with 2 plugs For equipment requiring continuous power 	

SPECIAL OVERHEAD PLACEMENT (BOOTH LAYOUT IS REQUIRED)

If power is required for a tower, signage suspended from the ceiling, etc. SHOWTECH will drop the power cord(s) from the ceiling to the location(s) specified on your booth layout form.

1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET (E1500V) <ul style="list-style-type: none"> Standard office/home outlet with 2 plugs 	1800 WATT, 15 AMP, 120 VOLT OUTLET (E15AV) <ul style="list-style-type: none"> Standard office/home outlet with 1 plug
24 HOUR, 1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET (E150024V) <ul style="list-style-type: none"> Standard office/home outlet with 2 plugs For equipment requiring continuous power 	

POWER ACCESSORIES

15FT EXTENSION CORD (E15) <ul style="list-style-type: none"> Can only be provided if an outlet has also been ordered 	
--	--

208 VOLT ELECTRICAL SERVICES

See the attached *Electrical & Lighting Order Form* for standard 208 volt electrical services up to 60 amps. Other voltages and amps are available upon request. The ratings placed on equipment will indicate voltage, amps/watts/hp/kw and phasing. CONTACT SHOWTECH 3 WEEKS PRIOR TO THE MOVE-IN DATE FOR QUOTATIONS.

ELECTRICAL & LIGHTING ORDER FORM

Booth #:

ADVANCED PRICE UNTIL:**REGULAR PRICE:**

ORDERS PLACED ON SITE (I.E. DURING MOVE-IN) WILL BE CHARGED 10% ADDITIONAL TO THE REGULAR PRICE

EXHIBITOR INFORMATION

BOOTH #: _____ COMPANY: _____ CONTACT NAME: _____

ADDRESS: _____ CITY: _____ PROV/STATE: _____ CODE: _____

EMAIL: _____ PHONE: _____ FAX: _____

120 VOLT ELECTRICAL OUTLETS

QTY	DESCRIPTION	ADVANCED PRICE	REGULAR PRICE	AMOUNT
POWER SUPPLIED AT BACK-OF-BOOTH (NO BOOTH LAYOUT REQUIRED)				
	1500 watt, 12 amp, 120 volt duplex outlet (E1500)	\$173.00	\$242.00	
	1800 watt, 15 amp, 120 volt outlet (E15A)	\$206.00	\$288.00	
	24 hour, 1500 watt, 12 amp, 120 volt duplex outlet (E150024)	\$262.00	\$367.00	
	2400 watt, 20 amp, 120 volt outlet (E20A)	\$278.00	\$389.00	

SPECIAL UNDERCARPET PLACEMENT (BOOTH LAYOUT IS REQUIRED)

	1500 watt, 12 amp, 120 volt duplex outlet (E1500U)	\$213.00	\$298.00	
	1800 watt, 15 amp, 120 volt outlet (E15AU)	\$247.00	\$346.00	
	24 hour, 1500 watt, 12 amp, 120 volt duplex outlet (E150024U)	\$304.00	\$426.00	

SPECIAL OVERHEAD PLACEMENT (BOOTH LAYOUT IS REQUIRED)

	1500 watt, 12 amp, 120 volt duplex outlet (E1500V)	\$213.00	\$298.00	
	1800 watt, 15 amp, 120 volt outlet (E15AV)	\$247.00	\$346.00	
	24 hour, 1500 watt, 12 amp, 120 volt duplex outlet (E150024V)	\$304.00	\$426.00	

POWER ACCESSORIES

	15ft. extension cord (E15)	\$24.00	\$24.00	
--	----------------------------	---------	---------	--

208 VOLT ELECTRICAL SERVICES

(OTHER CONNECTIONS AVAILABLE UPON REQUEST)

	208 volt, 1 phase, 15 amp (CS208115)	\$329.00	\$461.00
	208 volt, 1 phase, 20 amp (CS208120)	\$359.00	\$503.00
	208 volt, 1 phase, 30 amp (CS208130)	\$501.00	\$701.00
	208 volt, 3 phase, 30 amp (CS208330)	\$688.00	\$963.00
	208 volt, 3 phase, 60 amp (CS208360)	\$966.00	\$1352.00

RENTAL LIGHTING

QTY	DESCRIPTION	ADVANCED PRICE	REGULAR PRICE	AMOUNT
-----	-------------	----------------	---------------	--------

CEILING MOUNTED FIXTURES

	LED White Light (LLEDOH) *NEW*	\$309.00	\$433.00	
	Source 4 Par Fixture (L575S4)	\$285.00	\$399.00	

SYSTEM & BOOTH LIGHTING (HARD WALL REQUIRED)

	24 watt LED black arm light fixture (LLED)	\$110.00	\$154.00	
--	---	----------	----------	--

SYSTEM & BOOTH LIGHTING (FASCIA OR HARD WALL REQUIRED)

	3ft track complete with 3 – 24 watt LED fixtures (LT3150)	\$224.00	\$314.00	
--	---	----------	----------	--

FLOOR LIGHTING

	2 – 24 watt LED fixtures on an 8ft telescopic stand (L2150)	\$141.00	\$197.00	
--	---	----------	----------	--

SPECIAL REQUIREMENTS (ELECTRICAL AND/OR LIGHTING)

QTY	DESCRIPTION	QUOTE	AMOUNT

SUB-TOTAL

+13% HST APPLICABLE ON ALL ITEMS	
TOTAL AMOUNT PAYABLE – CDN. FUNDS	
	HST #: 104060264RT0001

PAYMENT DETAILS

☐ VISA ☐ MasterCard ☐ Amex ☐ Cheque (payable to SHOWTECH) CARDHOLDER NAME:

EXPIRY DATE: / / CODE:

CARDHOLDER SIGNATURE: _____

I AUTHORIZE CHARGING ANY UNPAID BALANCE TO MY CREDIT CARD.

PAYMENT INFORMATION: *This is your official receipt/invoice.* Orders will only be accepted if paid in full. Incomplete orders cannot be processed. Company cheques will only be accepted by the Advanced Price deadline date. SHOWTECH reserves the right to adjust orders not calculated accurately or received after the Advanced Price deadline date. Bank transfers please request the Electronic Funds/Wire Transfer Form. Bank fees will be charged for this service.

ONLINE ORDERS: PLEASE VISIT WWW.SHOWTECH.CA, CHOOSE THE "ONLINE ORDERING" TAB AND FOLLOW THE ON-SCREEN INSTRUCTIONS.

EMAIL/FAXED ORDERS: PLEASE RETURN COMPLETED FORMS TO

5675 McLAUGHLIN RD., MISSISSAUGA, ON L5R 3K5 P: 905.283.0550 F: 905.283.0551 TOLL-FREE: 1.855.746.9832 SITE OFFICE: 416.585.8109

SHOW:	
DATES:	FACILITY NAME:

EXHIBITOR INFORMATION		INSTRUCTIONS FOR USE	
BOOTH #: _____ COMPANY: _____ ADDRESS: _____ CITY: _____ PROV/STATE: _____ CODE: _____ E-MAIL: _____ PHONE: _____ FAX: _____ CONTACT NAME: _____		<p>Use the grid below to indicate placement of SHOWTECH services.</p> <ul style="list-style-type: none"> • Circle the correct booth type INLINE PENINSULA ISLAND • Indicate the dimensions of your booth _____ (10x10 – 1 square = 1 foot, 20x20 – 1 square = 2 feet, etc) • Use bold lines to indicate the outline of your booth • Fill-in the orientation of your booth using surrounding booth numbers and/or event landmarks (e.g. Entrance, Exit, Stage, Aisle Number, etc) • <u>For overhead and/or undercarpet outlets:</u> Draw an "O" for overhead placement or a "U" for undercarpet placement. • <u>For Source 4 Par fixtures:</u> Draw arrows to indicate the light direction. • <u>Sign/Banner Hanging:</u> Draw a line to indicate sign placement. 	

This form is ONLY required when ordering services to be placed undercarpet and/or overhead. It is not necessary to indicate back-of-booth services on this form.

SHOWTECH must receive a booth layout, along with your completed order form, to ensure proper placement of undercarpet and/or overhead services in your booth.

BACK OF BOOTH

Adjacent Booth or Aisle Number: _____

Adjacent Booth or Aisle Number: _____

FRONT OF BOOTH

Adjacent Booth or Aisle Number: _____