

Event:		
Complete and return by:		
A copy of the Fire Regulations for exhibitors is provide that your exhibit meets the Ontario Building and Fire the APPROVED IN ADVANCE by Show Management Department and the Building Department.	Code. In some instances, aspects of your booths	MUST BE
zopa. ao aa zonag zopa. ao	YES	NO
1. Exhibit configuration is 1,000 sq. ft. or more		
2. Exhibit has roof / mezzanine / second storey		
3. Exhibit has a raised platform		
4. Exhibit exceeds 12 feet in height		
5. Exhibit material exceeds 10,000 lbs. gross wei	ght \square	
6. Exhibit material exceeds 300 lbs. / sq. ft. limit		
7. Exhibit has prohibited material		
8. Materials / processes / equipment require spec	cial permit	
9. Exhibit has suspended signs / banners / lights		
Exhibit has hard wall (in-line booths N/A)		
 Exhibit has motorized vehicle / combustion eng 	gine \square	
Exhibit contains liquid fuels / natural gas / prop (six weeks notice to process request)	pane	
3. Exhibit contains cooking appliances		
4. Exhibit contains hazardous material		
Note: a) If questions 1 to 4 are answered "Yes" sp b) If questions 5 to 14 are answered "Yes" s Details:		
Notice: All exhibitors must wear protective footwear Email completed form and necessary floo Metro Toronto Convention Centre	•	
Operations Department fsr@mtccc.com		
Exhibitor / Company Name:		
Contact Person:		
Contact Person: Address: Postal Code:		